



MULTI-FUNCTION VACUUM GENERATORS MVG 10 and MVG 14

Air capacity (NI/s) at different vacuum levels (-Kpa)



Generator art.	Supply press. bar (g)	Air consumption NI/s	Air capacity (NI/s) at different vacuum levels (-KPa)										Max. vacuum level -KPa
			0	10	20	30	40	50	60	70	80		
MVG 10	5.0	1.7	2.55	1.85	1.30	0.75	0.64	0.48	0.30	0.20	0.09	85	
MVG 14	5.0	2.1	3.40	2.45	1.84	1.05	0.88	0.61	0.36	0.24	0.11	85	

Evacuation time (ms/l = s/m³) at different vacuum levels (-Kpa)



Generator art.	Supply press. bar (g)	Air consumption NI/s	Evacuation time (ms/l = s/m³) at different vacuum levels (-KPa)								Max. vacuum level -KPa	
			10	20	30	40	50	60	70	80		85
MVG 10	5.0	1.7	41	95	192	379	642	938	1567	2790	3962	85
MVG 14	5.0	2.1	31	71	144	284	482	704	1175	2092	2971	85

ACCESSORIES AND SPARE PARTS UPON REQUEST

Art.	MVG 10	MVG 14
Sealing kit and reed valve	art. 00 KIT MVG 10	00 KIT MVG 14
Electric connection cable with axial connector for vacuum switch		00 12 20
Electric connection cable with radial connector for vacuum switch		00 12 21
Electric connection cable set with built-in energy		
Saving device NO and connectors		00 15 202
Electric connection cable set with built-in energy		
Saving device NC and connectors		00 15 203
Digital vacuum switch		12 10 10
Supply solenoid valve NO		00 15 155
Supply solenoid valve NC		00 15 156

3D drawings available at www.vuototecnica.net