





MODULAR MULTI-STAGE AND MULTI-FUNCTION VACUUM GENERATORS GVMM 3 and GVMM 7

Air capacity (NI/s) at different vacuum levels (-Kpa)



Generator art.	Supply press. bar (g)	Air consumption NI/s	Air capacity (NI/s) at different vacuum levels (-KPa)										Max. vacuum level -KPa
			0	10	20	30	40	50	60	70	80	85	
GVMM 3	5.0	0.8	0.83	0.66	0.38	0.20	0.16	0.11	0.09	0.06	0.02	85	
GVMM 7	5.0	1.3	1.78	1.30	0.98	0.56	0.44	0.29	0.20	0.14	0.06	85	

Evacuation time (ms/l= s/m^3) at different vacuum levels (-Kpa)



Generator art.	Supply press. bar (g)	Air consumption NI/s	Evacuation time (ms/l = s/m^3) at different vacuum levels (-KPa)										Max. vacuum level -KPa
			10	20	30	40	50	60	70	80	85		
GVMM 3	5.0	0.8	128	294	592	1167	1978	2889	4824	8588	12195	85	
GVMM 7	5.0	1.3	59	137	275	543	921	1344	2245	3997	5676	85	

ACCESSORIES AND SPARE PARTS UPON REQUEST

Art.		GVMM 3	GVMM 7
Sealing kit and reed valve	art.	00 KIT GVMM 3	00 KIT GVMM 7
Electric connection cable with axial connector for vacuum switch	art.		00 12 20
Electric connection cable with radial connector for vacuum switch	art.		00 12 21
Electric connection cable set with built-in energy			
Saving device NO and connectors	art.		00 15 202
Electric connection cable set with built-in energy			
Saving device NC and connectors	art.		00 15 203
Digital vacuum switch	art.		12 10 10
Supply solenoid valve NO	art.		00 15 176
Supply solenoid valve NC	art.		00 15 175